

www.Acoustimac.com 3906 E. 21st Ave. Tampa FL. 33605 888-827-1266

## Material Safety Data Sheet

Other Precautions: NONE REQUIRED

## SECTION VIII – EMPLOYEE PROTECTION RECOMMENDATIONS

Respiratory Protection (Specify Type)

NONE

Ventilation: Local Exhaust:

Special: Only if dust is generated N/A

Mechanical: Other: N/A N/A

**Protective Gloves:** GLOVES SHOULD BE WORN AS GOOD INDUSTRIAL PRACTICE

Eye Protection: WHEN CUTTING PRODUCT, SAFETY GLASSES ARE GOOD

INDUSTRIAL PRACTICE.

Other Protective Clothing or Equipment: N/A

Work/Hygienic Practices: NORMAL HYGIENE

## SECTION IX – SHIPPING DATA

D.O.T. Hazard Class.....NON-REGULATED

(NMFC156830, CL 55 OR CL70)



www.Acoustimac.com 3906 E. 21st Ave. Tampa FL. 33605 888-827-1266

## **Material Safety Data Sheet**

**Identity:** Acoustimac Mass Loaded Vinyl

### SECTION I: DISCLAIMER OF LIABILITY

The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material.

Final determination of the suitability of this material is the sole responsibility of the user. It is the responsibility of the user to comply with all applicable federal, state, and local laws and regulations.

## SECTION II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

#### Hazardous Components CAS# MAX% OSHA-PEL ACGIII-TLV

VINYL Sound Deadening Products are classified as "ARTICLES" under applicable EPA Regulations and OSHA Standards. Under normal conditions of use, these articles do not release or otherwise result in exposure to a hazardous chemical.

#### **SECTION III: Physical/Chemical Characteristics**

Boiling Point Specific Gravity  $(H_2O = 1)$ N/A 1.97 1/- 0.03

Vapor Pressure (mm Hg): N/A Melting Point: 300 325 DEGREE F

<u>Vapor Density (AIR = 1):</u> N/A <u>Solubility in Weter:</u> N/A

**Evaporation Rate (Butyl Acetate = 1):**N/A **Appearance and odor:**SOLID, FLEXIBLE MATERIAL

#### SECTION IV: FIRE AND EXPLOSION HAZARD DATA

Flash Point(method used)Flammable Limits:LELUELN/ANONE ESTABLISHEDN/AN/A

Extinguishing Media: WATER SPRAY, FOAM, CARBON DIOXIDE WHEN FIGHTING A FIRE INVOLVING THIS MATERIAL.

## Special Fire Fighting Equipment:

WEAR SELF- CONTAINED BREATHING APPARATUS WHEN EXPOSED TO PRODUCTS IN DECOMPOSITION.

# www.Acoustimac.com 3906 E. 21st Ave.

Tampa FL. 33605 888-827-1266

Statement for the Direct Devel

**Unusual Fire and Explosion Hazards: NONE.** 

## SECTION V: REACTIVITY DATA

Stability: Stable XXX Unstable Conditions to Avoid:

TEMPERATURES ABOVE 400 F

Incompatibility (Material to Avoid): NONE KNOWN

<u>Hazardous Decomposition or Byproducts:</u> HYDROGEN CHLORIDE GAS, CARBON DIOXIDE OXIDATION, AND DECOMPOSITION PRODUCTS WOULD RESULT FROM THE COMBUSTION OR THERMAL DEGRADATION OF THIS PRODUCT.

Hazardous Polymerization: May occur Will Not ●ccur XXX

Conditions to Avoid: TEMPERATURES ABOVE 400 F

## SECTION VI – HEALTH HAZARD DATA

Route(s) of Entry: Inhalation: NO Skin: NO Ingestion: NO

**Health Hazards** (Acute and Chronic)

Carcinogenicity: NTP: IARC Monographs: OSHA Regulated:

(Refer to SECTION II) NO NO NO

#### Signs and Symptoms of Exposure:

NONE KNOWN UNDER NORMAL USE

Medical Conditions Generally Aggravated by Exposure: N/A

Emergency and First Aid Procedure: WASH SKIN WITH SOAP AND WATER. FOR SKIN BURNS CAUSED BY EXPOSURE TO <u>HEATED MATERIAL</u>, IMMEDIATELY IMMERSE AFFECTED AREA IN COLD WATER AND FLUSH WITH LARGE AMOUNTS OF COLD WATER. COVER WITH GAUZE AND SEEK PROMPT MEDICAL ATTENTION.

## SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be taken in case material is released or spilled: N/A

## Waste Disposal Method:

IN ACCORDANCE WITH APPLICABLE ENVIRONMENTAL WASTE CONTROL REGULATIONS.

#### Precautions to be taken in Handling and Storing:

NORMAL HYGIENIC PRACTICES, STORE AT AMBIENT TEMPERATURES.